Notice of Allowability	Application No.	Applicant(s)	
	10/718,234	STEFAN ET AL.	
	Examiner	Art Unit	0
	Eric Culbreth	3616	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address— All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to 6/30/06.			
2. X The allowed claim(s) is/are 4-8,10-12,15 and 17-23.			
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ⊠ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	 5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Da 7. ☒ Examiner's Amendr 8. ☐ Examiner's Stateme 9. ☒ Other See Continue 	(PTO-413), te ment/Comment ent of Reasons for Allowance	
	a. M Other <u>see Continue</u>	ition Gneet.	

Continuation of Attachment(s) 9. Other: 2 Drawing sheets with approved changes.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- a. In claim 4, line 11 "includes" was changed to: --including--, for proper grammar.
 - b. In claim 17, line 16, --and--, was inserted after "roll;" for proper grammar.
- c. In paragraph [0022], line 2 as amended 6/30/06, --schematically shown at--, was inserted before "49" to avoid issues of new matter (the location, shape, etc. of the air reservoir).
- d. In paragraph [0030], line 2 as amended 6/30/06, --schematically shown at--, was inserted before "80" in order to avoid issues of new matter.

Upon reconsideration, regarding the objections to claim 11 that a vehicle height sensor is not shown or disclosed in the first Office action, block 104 can be a height sensor according to the disclosure.

Application/Control Number: 10/718,234 Page 3

Art Unit: 3616

2. The following changes to the drawings have been approved by the examiner:
Claims 2 and 3 were each amended to add a block diagram represent air reservoir 49
and pyrotechnic device 80 (the proposed replacement sheets submitted by applicant on
6/30/06 were not approved by the examiner. These sheets would have resulted in new
matter (there was no support in the original specification for the proposed locations of
parts 49 and 80; modifications cannot be shown in the same figure according to 37 CFR
1.84h (5); the air reservoir where indicated would not have introduced air to the bladder
44, as the structure at 48 only moves the diaphragm plate to release air. Reference
numeral 74 and its lead line were removed because that numeral is not discussed in the
specification). In order to avoid abandonment of the application, applicant must make
these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric Culbreth whose telephone number is 571/272-6668. The examiner can normally be reached on Monday-Thursday, 9:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on 571/272-6669. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/718,234 Page 4

Art Unit: 3616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Eric Culbreth Primary Examiner Art Unit 3616

Exclubeth

ec

In re Appin, of: Kronung Stefan, et el.
Appin, No. 10/718,234 filed November 20, 2003
For: System and Mathod for Preventing Religious Attorney Docket No.: 11721-037

BEST AVAILABLE COPY 2/4 50 <u>58</u> 46 76 H1 62 52 Fig. 2






Fig. 3

_1